

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11919	(remote\$3 with manag\$5) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:11
S2	1564	(remote\$3 with manag\$5 with monitor\$3) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:22
S3	32	(remote\$3 with manag\$5 with monitor\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:25
S4	4480	(remote\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:25
S5	25	(remote\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:29
S6	2	(remote\$3 with assign\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:31
S7	4	(remote\$3 same assign\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:33
S8	0	(remote\$3 and management).ti. and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:33

## EAST Search History

S9	2	(remote\$3 and management).ab. and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:48
S10	0	(remote adj1 task adj1 manager)and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S11	1	(remote with task adj1 manager)and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S12	0	(remote with task adj1 manager)and (estimat\$3 near4 resource) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S13	0	(task adj1 manager)and (estimat\$3 near4 resource) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:50
S14	26	task with (estimat\$3 near4 resources) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:52
S15	11	task with (estimat\$3 near4 resources) with time and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:52
S16	793	((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:11

## EAST Search History

S17	1	(task and manag\$3).ti. and ((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:12
S18	26	(task and manag\$3).ab. and ((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:38
S19	10	(task and manag\$3) with((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:44
S20	191	(assign\$3 with time with complet\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:45
S21	145	(assign\$3 with time with complet\$3 near4 tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:45
S22	75	(assign\$3 near4 time with complet\$3 near4 tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:07
S23	12	(assign\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:08
S24	12	(assign\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:13

## EAST Search History

S25	32	(estimat\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:20
S26	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/05/26 00:20
S27	1	("6298451").PN.	USPAT; USOCR	OR	OFF	2006/05/26 01:23
S28	31364	((request\$3 poll\$3) with results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:24
S29	83	((request\$3 poll\$3) with results with predetermined near1 time) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:25
S30	13	((request\$3 poll\$3) with results with predetermined near1 time) and tasks and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
S31	330	(results with predetermined near1 time) and tasks and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
S32	1671	(results with over near4 time) and tasks and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
S33	79	(poll near1 results) and tasks and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:28

## EAST Search History

S34	2	(poll near1 result with tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:28
S35	7	(poll near1 result same tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:31
S36	146	(retriev\$5 near4 result same tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:32
S37	53	(retriev\$5 near4 results with tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:38
S38	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/05/26 01:45
S39	98	(acknowledg\$3 with complet\$ near1 receiv\$3)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:45

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31364	((request\$3 poll\$3) with results) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:24
L2	83	((request\$3 poll\$3) with results with predetermined near1 time) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:25
L3	13	((request\$3 poll\$3) with results with predetermined near1 time) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
L4	330	(results with predetermined near1 time) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
L5	1671	(results with over near4 time) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:27
L6	79	(poll near1 results) and tasks and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:28
L7	2	(poll near1 result with tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:28
L8	7	(poll near1 result same tasks) and @ad<= "20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:31

## EAST Search History

L9	146	(retriev\$5 near4 result same tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:32
L10	53	(retriev\$5 near4 results with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:38
L11	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/05/26 01:45
L12	98	(acknowledg\$3 with complet\$ near1 receiv\$3)and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 01:45
S1	11919	(remote\$3 with manag\$5) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:11
S2	1564	(remote\$3 with manag\$5 with monitor\$3) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:22
S3	32	(remote\$3 with manag\$5 with monitor\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:25
S4	4480	(remote\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:25
S5	25	(remote\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:29

## EAST Search History

S6	2	(remote\$3 with assign\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:31
S7	4	(remote\$3 same assign\$3 with tasks) and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:33
S8	0	(remote\$3 and management).ti. and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:33
S9	2	(remote\$3 and management).ab. and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:48
S10	0	(remote adj1 task adj1 manager)and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S11	1	(remote with task adj1 manager)and (estimat\$3 near4 time with task) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S12	0	(remote with task adj1 manager)and (estimat\$3 near4 resource) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:49
S13	0	(task adj1 manager)and (estimat\$3 near4 resource) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:50



## EAST Search History

S14	26	task with (estimat\$3 near4 resources) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:52
S15	11	task with (estimat\$3 near4 resources) with time and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 19:52
S16	793	((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:11
S17	1	(task and manag\$3).ti. and ((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:12
S18	26	(task and manag\$3).ab. and ((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:38
S19	10	(task and manag\$3) with((assign\$3 with tasks) same results) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:44
S20	191	(assign\$3 with time with complet\$3 with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:45
S21	145	(assign\$3 with time with complet\$3 near4 tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 23:45

## EAST Search History

S22	75	(assign\$3 near4 time with complet\$3 near4 tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:07
S23	12	(assign\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:08
S24	12	(assign\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:13
S25	32	(estimat\$3 near2 complet\$3 near1 time with tasks) and @ad<="20001117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 00:20
S26	1	("6112225").PN.	USPAT; USOCR	OR	OFF	2006/05/26 00:20
S27	1	("6298451").PN.	USPAT; USOCR	OR	OFF	2006/05/26 01:23